

Contents

- Abraham, K., s. Schreyer, W., et al. 333-342
- Adams, G.E., Bishop, F.C.: The olivine - clinopyroxene geobarometer: experimental results in the CaO-FeO-MgO-SiO₂ system 230-237
- Arculus, R.J., s. Gust, D.A. 416-426
- Ballhaus, C.G., Stumpf, E.F.: Sulfide and platinum mineralization in the Merensky Reef: evidence from hydrous silicates and fluid inclusions 193-204
- Barton, M., Huijsmans, J.P.P.: Post-caldera dacites from the Santorini volcanic complex, Aegean Sea, Greece: an example of the eruption of lavas of near-constant composition over a 2,200 year period 472-495
- Bateman, P.C., s. Kistler, R.W., et al. 205-220
- Beckett, J.R., s. Johnston, A.D. 323-332
- Bhattacharya, A.: Some geobarometers involving cordierite in the FeO-Al₂O₃-SiO₂ (\pm H₂O) system: refinements, thermodynamic calibration, and applicability in granulite facies rocks 387-394
- Bigazzi, G., Del Moro, A., Macera, P.: A quantitative approach to trace element and Sr isotope evolution in the Adamello batholith (northern Italy) 46-53
- Bishop, F.C., s. Adams, G.E. 230-237
- Black, L.P., Williams, I.S., Compston, W.: Four zircon ages from one rock: the history of a 3930 Ma-old granulite from Mount Sones, Enderby Land, Antarctica 427-437
- Blake, S., Campbell, I.H.: The dynamics of magma-mixing during flow in volcanic conduits 72-81
- Bridgwater, D., s. Nutman, A.P. 137-148
- Campbell, I.H., s. Blake, S. 72-81
- Chappell, B.W., s. Kistler, R.W., et al. 205-220
- Christie, D.M., Sinton, J.M.: Major element constraints on melting, differentiation and mixing of magmas from the Galapagos 95.5° W propagating rift system 274-288
- Coleman, M.L., s. Sveinbjörnsdóttir, A.E., et al. 99-109
- Compston, W., s. Black, L.P., et al. 427-437
- Coutures, J.-P., s. McMillian, P., et al. 178-182
- Cundari, A., Dal Negro, A., Piccirillo, E.M., Della Giusta, A., Secco, I.: Intracrystalline relationships in olivine, orthopyroxene, clinopyroxene and spinel from a suite of spinel ilherzolite xenoliths from Mt. Noorat, Victoria, Australia 523-532
- Dal Negro, A., s. Cundari, A., et al. 523-532
- Del Moro, A., s. Bigazzi, G., et al. 46-53
- Della Giusta, A., s. Cundari, A., et al. 523-532
- Duddy, I.R., s. Gleadow, A.J.W., et al. 405-415
- Dutrow, B.L., Holdaway, M.J., Hinton, R.W.: Lithium in staurolite and its petrologic significance 496-506
- Ellison, A.J., Hess, P.C.: Solution behavior of +4 cations in high silica melts: petrologic and geochemical implications 343-351
- Elthon, D.: Comments on "Composition and depth of origin of primary mid-ocean ridge basalts" by D.C. Presnall and J.D. Hoover 253-256
- Eriksson, G., s. Fei, Y., et al. 221-229
- Essene, E.J., s. Kuo, L.-C., et al. 90-98
- Essene, E.J., s. Yau, Y.-C., et al. 127-134
- Fei, Y., Saxena, S.K., Eriksson, G.: Some binary and ternary silicate solution models 221-229
- Foley, S.F., Taylor, W.R., Green, D.H.: The role of fluorine and oxygen fugacity in the genesis of the ultrapotassic rocks 183-192
- Fowler, M.B., s. Thompson, R.N. 507-522
- Fransolet, A.-M., s. Schreyer, W., et al. 333-342
- Frey, F.A., s. Garcia, M.O., et al. 461-471
- Fujimaki, H.: Partition coefficients of HF, Zr, and REE between zircon, apatite, and liquid 42-45
- Garcia, M.O., Frey, F.A., Grooms, D.G.: Petrology of volcanic rocks from Kaula Island, Hawaii. Implications for the origin of Hawaiian phonolites 461-471
- Ghiorsio, M.S., s. Kelemen, P.B. 12-28
- Gleadow, A.J.W., Duddy, I.R., Green, P.F., Lovering, J.F.: Confined fission track lengths in apatite: a diagnostic tool for thermal history analysis 405-415
- Gower, C.F., s. Schärer, U., et al. 438-451
- Grambling, J.A.: A regional gradient in the composition of metamorphic fluids in pelitic schist, Pecos Baldy, New Mexico 149-164
- Green, D.H., s. Foley, S.F., et al. 183-192
- Green, P.F., s. Gleadow, A.J.W., et al. 405-415
- Grooms, D.G., s. Garcia, M.O., et al. 461-471
- Gust, D.A., Arculus, R.J.: Petrogenesis of alkalic and calcalkalic volcanic rocks of Mormon Mountain Volcanic Field, Arizona 416-426
- Harley, S.L.: A sapphirine-cordierite-garnet-sillimanite granulite from Enderby Land, Antarctica: implications for FMAS petrogenetic grids in the granulite facies 452-460
- Harneit, O., s. Viswanathan, K. 238-244
- Heaman, L.M., Machado, N., Krogh, T.E., Weber, W.: Precise U-Pb zircon ages for the Molson dyke swarm and the Fox River sill: constraints for Early Proterozoic crustal evolution in northeastern Manitoba, Canada 82-89
- Hess, P.C., s. Ellison, A.J. 343-351
- Hinton, R.W., s. Dutrow, B.L., et al. 496-506
- Holdaway, M.J., s. Dutrow, B.L., et al. 496-506
- Holloway, J., s. McMillian, P., et al. 178-182
- Hoover, J.D., s. Presnall, D.C. 257-261
- Huijsmans, J.P.P., s. Barton, M. 472-495
- Johansson, L., Möller, C.: Formation of sapphirine during retrogression of a basic high-pressure granulite, Roan, Western Gneiss Region, Norway 29-41
- Johnston, A.D., Beckett, J.R.: Compositional variation of coexisting olivine, orthopyroxene and Fe/Mg-ferrite as a function of T and f_{O₂}: a geothermometer and oxygen-barometer 323-332
- Kelemen, P.B., Ghiorsio, M.S.: Assimilation of peridotite in zoned calc-alkaline plutonic complexes: evidence from the Big Jim complex, Washington Cascades 12-28
- Kistler, R.W., Chappell, B.W., Peck, D.L., Bateman, P.C.: Isotopic variation in the Tuolumne Intrusive Suite, central Sierra Nevada, California 205-220
- Krogh, T.E., s. Heaman, L.M., et al. 82-89
- Krogh, T.E., s. Schärer, U., et al. 438-451
- Kudo, A.M., s. Singer, B.S. 374-386
- Kuo, L.-C., Lee, J.H., Essene, E.J., Peacor, D.R.: Occurrence, chemistry, and origin of immiscible silicate glasses in a tholeiitic basalt: a TEM/AEM study 90-98
- Kuwahara, H., s. Toriumi, M., et al. 54-62
- Lee, J.H., s. Kuo, L.-C., et al. 90-98
- Lovering, J.F., s. Gleadow, A.J.W., et al. 405-415
- Macera, P., s. Bigazzi, G., et al. 46-53
- Machado, N., s. Heaman, L.M., et al. 82-89
- Mahood, G.A., s. Novak, S.W. 352-373
- Marsh, B.D., s. Meyers, J.D., et al. 1-11
- Masui, M., s. Toriumi, M., et al. 54-62
- McCulloch, M.T., s. Windrim, D.P. 289-303
- McMillian, P., Peraudeau, G., Holloway, J., Coutures, J.-P.: Water solubility in a calcium aluminosilicate melt 178-182
- Mittfehlid, D.W.: Petrology of high pressure clinopyroxenite series xenoliths, Mount Carmel, Israel 245-252
- Möller, C., s. Johansson, L. 29-41
- Morikyo, T.: Hydrogen and carbon isotope studies on the graphite-bearing metapelites in the northern Kiso district of central Japan 165-177
- Myers, J.D., Marsh, B.D., Sinha, A.K.: Geochemical and strontium

- tium isotopic characteristics of parental Aleutian Arc magmas: evidence from the basaltic lavas of Atka 1-11
- Nicholls, J., Stout, M.Z.: Electron beam analytical instruments and the determination of modes, spatial variations of minerals and textural features of rocks in polished section 395-404
- Novak, S.W., Mahood, G.A.: Rise and fall of a basalt-trachyte-rhyolite magma system at the Kane Springs Wash Caldera, Nevada 352-373
- Nutman, A.P., Bridgwater, D.: Early Archaean Amitsoq tonalites and granites of the Isukasia area, southern West Greenland: development of the oldest-known sial 137-148
- Oskarsson, N., s. Sigvaldason, G.E. 263-271
- Peacor, D.R., s. Kuo, L.-C., et al. 90-98
- Peacor, D.R., s. Yau, Y.-C., et al. 127-134
- Peck, D.L., s. Kistler, R.W., et al. 205-220
- Peraudeau, G., s. McMillian, P., et al. 178-182
- Peters, T.: Structurally incorporated and water extractable chlorine in the Boettstein granite (N. Switzerland) 272-273
- Piccirillo, E.M., s. Cundari, A., et al. 523-532
- Presnall, D.C., Hoover, J.D.: Composition and depth of origin of primary mid-ocean ridge basalts - reply to D. Elthon 257-261
- Rapp, R.P., Watson, E.B.: Monazite solubility and dissolution kinetics: implications for the thorium and light rare earth chemistry of felsic magmas 304-316
- Reinecke, T.: Phase relationships of sursassite and other Mn-silicates in highly oxidized low-grade, high-pressure metamorphic rocks from Evvia and Andros Islands, Greece 110-126
- Saxena, S.K., s. Fei, Y., et al. 221-229
- Schärer, U., Krogh, T.E., Gower, C.F.: Age and evolution of the Grenville Province in eastern Labrador from U-Pb systematics in accessory minerals 438-451
- Schreyer, W., Fransolet, A.-M., Abraham, K.: A miscibility gap in trioctahedral Mn-Mg-Fe chlorites: evidence from the Lienne Valley manganese deposit, Ardennes, Belgium 333-342
- Secco, I., s. Cundari, A., et al. 523-532
- Sigvaldason, G.E., Oskarsson, N.: Fluorine in basalts from Iceland 263-271
- Singer, B.S., Kudo, A.M.: Assimilation-fractional crystallization of Polvadera Group rocks in the Northwestern Jemez Volcanic Field, New Mexico 374-386
- Sinha, A.K., s. Myers, J.D., et al. 1-11
- Sinton, J.M., s. Christie, D.M. 274-288
- Skippen, G., s. Trommsdorff, V. 317-322
- Smith, D., s. Tyner, G.N. 63-71
- Stout, M.Z., s. Nicholls, J. 395-404
- Stumpfl, E.F., s. Ballhaus, C.G. 193-204
- Sveinbjornsdottir, A.E., Coleman, M.L., Yardley, B.W.D.: Origin and history of hydrothermal fluids of the Reykjanes and Krafla geothermal fields, Iceland. A stable isotope study 99-109
- Taylor, W.R., s. Foley, S.F., et al. 183-192
- Teruya, J., s. Toriumi, M., et al. 54-62
- Thompson, R.N., Fowler, M.B.: Subduction-related shoshonitic and ultrapotassic magmatism: a study of Siluro-Ordovician syenites from the Scottish Caledonides 507-522
- Toriumi, M., Teruya, J., Masui, M., Kuwahara, H.: Microstructures and flow mechanisms in regional metamorphic rocks of Japan 54-62
- Trommsdorff, V., Skippen, G.: Vapour loss ("Boiling") as a mechanism for fluid evolution in metamorphic rocks 317-322
- Tyner, G.N., Smith, D.: Peridotite xenoliths in silica-rich, potassic latite from the transition zone of the Colorado Plateau in north-central Arizona 63-71
- Viswanathan, K., Harneit, O.: Lattice expansion and ionic substitution in common pyroxenoids 238-244
- Watson, E.B., s. Rapp, R.P. 304-316
- Weber, W., s. Heaman, L.M., et al. 82-89
- Williams, I.S., s. Black, L.P., et al. 427-437
- Windrim, D.P., McCulloch, M.T.: Nd and Sr isotopic systematics of central Australian granulites: chronology of crustal development and constraints on the evolution of lower continental crust 289-303
- Yardley, B.W.D., s. Sveinbjornsdottir, A.E., et al. 99-109
- Yau, Y.-C., Peacor, D.R., Essene, E.J.: Occurrence of wide-chain Ca-pyriboles as primary crystals in the Salton Sea Geothermal Field, California, USA 127-134

Subject-Index V
List of Locations IX

*Indexed in Current Contents/
Abstracted in Mineralogical Abstracts*

